

 **This page is not fully translated, yet. Please help completing the translation.**  
(remove this paragraph once the translation is finished)

# AssignSupervisorToTasknodeActionHandler

## Description

This action handler sets the supervisor of the selected users as the responsible person for a swim lane.

---

## Action Class

```
com.dooris.bpm.actionhandler.AssignSupervisorToTasknodeActionHandler
```

---

## Event Type

any

## Action Name

any

## Mandatory Fields

-

---

## Parameter

**swimlane**

Here, the name of the swim lane, to which the responsible person is assigned, is entered.

## variableName

Here, the process variable, from which the content is read, is entered. The content should be a user and can be entered according to the following sample:

- Email address of the user (max@mustermann.de)
- user(username)
- the ID of the user

## Example

Symboleigenschaften - Aktivität

The screenshot shows a software interface for editing an event. A dialog box titled 'Edit Event' is open, displaying the following configuration:

- Ereignistyp: Node Leave
- Aktionsname: AssignSupervisorToTasknodeActionHandler
- Aktionsklasse: dler.AssignSupervisorToTasknodeActionHandler
- Mandatory Fields: (empty)
- Parameter: swimlane=name\_der\_swimlane; variableName=name\_der\_variable;

The background interface shows a task list with columns for 'Aufgabenname' and 'Rollenzuweisung'. The 'Automatisierung' menu item is highlighted in the left sidebar.

From: <https://wiki.tim-solutions.de/> - **TIM Wiki** / **NEW TIM 6 Documentation**

Permanent link: <https://wiki.tim-solutions.de/doku.php?id=en:software:tim:actionhandler:assignsupervisorstotasknodeactionhandler>

Last update: 2021/07/01 09:52

