

 **Fix Me!** This page is not fully translated, yet. Please help completing the translation.  
(remove this paragraph once the translation is finished)

# AssignSupervisorToTasknodeActionHandler

This action handler sets the supervisor of the selected users as the responsible person for a swim lane.

---

## Action Class

```
com.dooris.bpm.actionhandler.AssignSupervisorToTasknodeActionHandler
```

---

## Event Type

any

## Action Name

any

## Mandatory Fields

-

---

## Parameter

**swimlane**

Here, the name of the swim lane, to which the responsible person is assigned, is entered.

**variableName**

Here, the process variable, from which the content is read, is entered. The content should be a user

and can be entered according to the following sample:

- Email address of the user (max@mustermann.de)
- user(username)
- the ID of the user

## Example

Symboleigenschaften - Aktivität

Solldauer:

Aufgabenliste:

Aufgabenname	Rollenzuweisung
--------------	-----------------

**Edit Event**

Ereignistyp: Node Leave

Aktionsname: AssignSupervisorToTasknodeActionHandler

Aktionsklasse: dler.AssignSupervisorToTasknodeActionHandler

Mandatory Fields:

Parameter: swimlane=name\_der\_swimlane;  
variableName=name\_der\_variable;

OK Abbrechen

From: <https://wiki.tim-solutions.de/> - **TIM Wiki** / **NEW TIM 6 Documentation**

Permanent link: <https://wiki.tim-solutions.de/doku.php?id=en:software:tim:actionhandler:assignsupervisorstotasknodeactionhandler&rev=1452786612>

Last update: 2021/07/01 09:54

