Excel2CSVHandler

This action handler transforms an excel(.xlsx) document into one or more csv-documents, depending on the number of sheets in the excel-document. The excel-document has to be attached to the process-instance and the generated files will also be attached to it. If the excel-document contains only one sheet, the generated document will inherit it's name, otherwhise each csv-document will be named like the sheet it represents.

Klasse

```
com.dooris.bpm.actionhandler.Excel2CSVHandler
```

Event Type

any type

Action Name

any name

Mandatory Fields

-

Parameter

FileName

'fileName' defines the name of the excel-document including the (.xlsx)-doctype.(like in the Example)

csvPrefix

'csvPrefix' defines a prefix, wich will be merged with the beginning of the csv-document's name. Process-variables can be used too. (like in the Example)

E.g.:

- ${SYS.PROCESSINSTANCE_ID}
- ${SYS.NODE_ID}

csvSuffix

'csvSuffix' defines a suffix, wich will be merged with the end of the csv-document's name. Process-variables can be used too. like in the Example)
E.g.:

- ${SYS.PROCESSINSTANCE_ID}
- ${SYS.NODE_ID}

Beispiel

Automatisierungseigenschaften ›

‹ Zurück zur Automatisierung

Name

ExceltoCSV

Ereignistyp

Eingabeknoten ▼

Ereignisklasse

com.dooris.bpm.actionhandler.Excel2CSVHandler

Pflichtfelder

Neuen Parmeter hinzufügen

Name

fileName

Wert

test.xlsx

PARAMETER SPEICHERN Abbrechen

Automatisierungseigenschaften   ›

‹ Zurück zur Automatisierung

Name

ExceltoCSV

Ereignistyp

Eingabeknoten   ▼

Ereignisklasse

com.dooris.bpm.actionhandler.Excel2CSVHandler

Pflichtfelder

Neuen Parmeter hinzufügen

Name

csvPrefix

Wert

Prefix

PARAMETER SPEICHERN   Abbrechen

Automatisierungseigenschaften　　　　　　　　›

‹ Zurück zur Automatisierung

Name

ExceltoCSV

Ereignistyp

Eingabeknoten ▼

Ereignisklasse

com.dooris.bpm.actionhandler.Excel2CSVHandler

Pflichtfelder

Neuen Parmeter hinzufügen

Name

csvSuffix

Wert

${SYS.PROCESSINSTANCE_ID}

PARAMETER SPEICHERN　　Abbrechen