

 **This page is not fully translated, yet. Please help completing the translation.**
(remove this paragraph once the translation is finished)

FileArchivationHandler

Description

This handler shifts files from one location to another; the files may also be versioned. The parameter can be supplied as a process variable i.e. “fileName=\${filename}”.

Action Class

```
com.dooris.bpm.actionhandler.FileArchivationHandler
```

Event Type

any

Action Name

any

Mandatory Fields

Parameter

source

This is the output path, from which the file is to be retrieved.

target

Explanation (see [example](#))

This is the target path, to which the files are to be shifted.

fileName

This is the name of the file to be copied (i.e. "My File.docx"). If multiple files should be shifted, it is also possible to supply only a part of the file name (i.e. "My File").

version

Here the user may denote if the transferred document should be versioned. This means that the documents are numbered consecutively if a file with the same name already exists in the target path. This value may be "true" or "false".

Example

Symboleigenschaften - Contain the problem

Symbol: BPMN-Anleitung Modellierung Eingaben Ressourcen Aufgabe Ausgaben Attribute Letzte Simulation Sonstige Allgemein Verknüpfungen Benutzerdefinierte Daten Risiken Messgrößen RACI Automatisierung Enterprise Beschreibt

Solldauer: 800

Aufgabenliste:

Aufgabenname	Rollenzuweisung
Contain the problem	

Edit Event

Ereignistyp: Node Leave

Aktionsname: FileArchivationHandler

Aktionsklasse: com.dooris.bpm.actionhandler.FileArchivationHandler

Mandatory Fields:

Parameter:

```
source=C:\Benutzer..\Quellordner;  
fileName=Test.txt;  
target=C:\Benutzer..\Zielordner;  
version=true;]
```

OK Abbrechen

From:

<https://wiki.tim-solutions.de/> - TIM Wiki / **NEW TIM 6 Documentation**

Permanent link:

<https://wiki.tim-solutions.de/doku.php?id=en:software:tim:actionhandler:filearchivationhandler>Last update: **2021/07/01 09:52**