

 **This page is not fully translated, yet. Please help completing the translation.**
(remove this paragraph once the translation is finished)

FileArchivationHandler

Description

This handler shifts files from one location to another; the files may also be versioned. The parameter can be supplied as a process variable i.e. "fileName=\${filename}".

Action Class

```
com.dooris.bpm.actionhandler.FileArchivationHandler
```

Event Type

any

Action Name

any

Mandatory Fields

-

Parameter

source

This is the output path, from which the file is to be retrieved.

target

Explanation (see [example](#))

This is the target path, to which the files are to be shifted.

fileName

This is the name of the file to be copied (i.e. "My File.docx"). If multiple files should be shifted, it is also possible to supply only a part of the file name (i.e. "My File").

version

Here the user may denote if the transferred document should be versioned. This means that the documents are numbered consecutively if a file with the same name already exists in the target path. This value may be "true" or "false".

Example

Symboleigenschaften - Contain the problem

Symbol
BPMN-Anleitung
Modellierung
Eingaben
Ressourcen
Aufgabe
Ausgaben
Attribute
Letzte Simulation
Sonstige
Allgemein
Verknüpfungen
Benutzerdefinierte Daten
Risiken
Messgrößen
RACI
Automatisierung
Enterprise
Beschreibt

Solldauer: 800

Aufgabenliste:
Aufgabenname | Rollenzuweisung
Contain the problem

Edit Event

Ereignistyp: Node Leave
Aktionsname: FileArchivationHandler
Aktionsklasse: com.dooris.bpm.actionhandler.FileArchivationHandler
Mandatory Fields:
Parameter: source=C:\Benutzer\...\Quellordner;
fileName=Test.bt;
target=C:\Benutzer\...\Zielordner;
version=true;

OK Abbrechen

From: <https://wiki.tim-solutions.de/> - TIM Wiki / [NEW TIM 6 Documentation](#)

Permanent link: <https://wiki.tim-solutions.de/doku.php?id=en:software:tim:actionhandler:filearchivationhandler&rev=1492075745>

Last update: 2021/07/01 09:54

