

 **This page is not fully translated, yet. Please help completing the translation.**
(remove this paragraph once the translation is finished)

InheritProcessVariableHandler

Description

This [handler](#) transfers variables from the main process to the sub-process. This means that the variables do not need to be defined/passed to the process state node one-by-one during the modeling process.

The [handler](#) is built onto the first node in the sub-process.

Action Class

```
com.dooris.bpm.actionhandler.InheritProcessVariableHandler
```

Event Type

node-enter

Action Name

any

Mandatory Fields

-

Parameter

-

Example

Last update: 2021/07/01 09:54 en:software:tim:actionhandler:inheritprocessvariablehandler <https://wiki.tim-solutions.de/doku.php?id=en:software:tim:actionhandler:inheritprocessvariablehandler&rev=1492073924>

Editor für Events Eigenschaft

Hinzufügen Löschen

Eventtyp	Action Name	Action Class	Mandatory Fields	Parameter
node-leave	Inherit ProcessVariable	com.dooris.bpm.actionhandler.InheritProcessVariableHandler		

Abbrechen Ok

From: <https://wiki.tim-solutions.de/> - **TIM Wiki** / [NEW TIM 6 Documentation](#)

Permanent link: <https://wiki.tim-solutions.de/doku.php?id=en:software:tim:actionhandler:inheritprocessvariablehandler&rev=1492073924>

Last update: **2021/07/01 09:54**

