

MandatoryHandler

Description

Before completing a task, the Mandatory Handler checks if all mandatory fields of the respective smartform are filled in. If the mandatory fields are empty, the handler prevents the task from completing. Subsequently, the user is informed to fill in the mandatory fields. The mandatory fields are specified in the field "Mandatory Fields" (see Example).

Class

```
com.dooris.bpm.actionhandler.MandatoryHandler
```

Event Type

Any

Action Name

Any

Mandatory Fields

ID_of_smartform_field, ID_of_next_smartform_field,... (IMPORTANT: no blank space between "," and the ID!)

Parameters

-

Example

Last update: 2021/07/01 09:52
en:software:tim:actionhandler:mandatoryhandler https://wiki.tim-solutions.de/doku.php?id=en:software:tim:actionhandler:mandatoryhandler

Edit Event

Ereignistyp:	Node Leave
Aktionsname:	Mandatory Handler
Aktionsklasse:	:com.dooris.bpm.actionhandler.MandatoryHandler
Mandatory Fields:	ID_of_the_smartform_field, ID_of_the_next_smartform_field
Parameter:	(empty)

OK **Abbrechen**

From:
<https://wiki.tim-solutions.de/> - **TIM Wiki** / [NEW TIM 6 Documentation](#)



Permanent link:
<https://wiki.tim-solutions.de/doku.php?id=en:software:tim:actionhandler:mandatoryhandler>

Last update: **2021/07/01 09:52**