

RepeatingWordTemplateHandler

Description

The RepeatingWordTemplateHandler makes it possible to create a Word document for every row of process variables. It is an expansion of the [WordTemplateHandler](#). The process variables must be indexed using a number in square brackets (i.e. Variable[0],Variable[1],Variable[3].....). Then, each **#{Variable}** entry is replaced by one of the indexed variables. A new template is created for each index. It is also possible to merge all of the created documents together.

Action Class

```
com.dooris.bpm.actionhandler.RepeatingWordTemplateHandler
```

Event Type

any

Action Name

any

Mandatory Fields

-

Parameter

template

Path to the Word template

repeat

Here, true must be entered

mergeDocumentName

The name given to the merged documents.

merge

Should the documents all be merged into one

- true
- false

repeatCounter

Name of a variable containing a number, which denotes how many indices are present.

pdf

Should the templates be converted into PDFs

- true
- false

Example

Symboleigenschaften - Archivieren

Symbol
BPMN-Anleitung
Modellierung
Eingaben
Ressourcen
Aufgabe
Ausgaben
Attribute
Letzte Simulation
Sonstige
Allgemein
Verknüpfungen
Benutzerdefinierte Daten
Risiken
Messgrößen
RACI
Automatisierung
Enterprise
Beschreibt

Ereignisliste: [+] [↑] [↓] [↻] [✖]

Edit Event [✕]

Ereignistyp: Node Leave [v]

Aktionsname: RepeatingWordTemplateHandler

Aktionsklasse: com.dooris.bpm.actionhandler.RepeatingWordTemplateHandler

Mandatory Fields:

Parameter:
template=/WordTemplate/dokument.docx;
repeatCounter=counter;
merge=true;
mergeDocumentName=Dokument;
repeat=true;

[OK] [Abbrechen]

[OK] [Abbrechen] [Übernehmen] [Hilfe]

From: <https://wiki.tim-solutions.de/> - **TIM Wiki** / **NEW TIM 6 Documentation**

Permanent link: <https://wiki.tim-solutions.de/doku.php?id=en:software:tim:actionhandler:repeatingwordtemplatehandler>

Last update: **2021/07/01 09:52**

