

 **This page is not fully translated, yet. Please help completing the translation.**  
*(remove this paragraph once the translation is finished)*

# TrackProcessHandler

In essence, this handler is an expansion of the [ProcessVariableSetter](#).

It sets a new variable and fills it with the values passed to it.

Additionally, a delimiter may be passed.

If a delimiter is given and the variable being written already exists, the variable will be filled as follows:

previous content + Delimiter + new content

Additionally, the following name spaces may be used:

`#{CURRENT_USER_NAMEFIRST}` ⇒ First name of the current user

`#{CURRENT_USER_NAMELAST}` ⇒ Last name of the current user

`#{CURRENT_TIME}` ⇒ Current time in the format: HH:mm (i.e.: 12:15)

`#{CURRENT_TASK}` ⇒ Name of the current [Aktivity](#)

---

## Action Class

```
com.dooris.bpm.actionhandler.TrackProcessHandler
```

---

## Event Type

any

## Action Name

any

## Mandatory Fields

none

---

## Parameter

### **inputText**

The value being written to a new variable or attached to an existing variable.  
i.e.: \${CURRENT\_TASK} completed by: \${CURRENT\_USER\_NAMEFIRST},  
\${CURRENT\_USER\_NAMELAST} at \${CURRENT\_TIME}.

### **processVariable**

Name of the new or existing variable.

### **delimiter**

If an existing variable should be added to.

i.e.: “-” , “:” , “,” , “[ ]” or ...

Please note that the Delimiter must be unique and may not be present in the process variable

---

## Example

Shape Properties - Task1

Target Duration:

List of Tasks:

Name	Role Assignment

Automation

Enterprise

Describes

Shape  
BPMN Guide  
Modeling  
Inputs  
Resources  
Task  
Outputs  
Attributes  
Last Simulation  
Other  
General  
Links  
Custom Data  
RACI

Event Type: Node Leave

Action Name: TrackProcessHandler

Action Class: com.dooris.bpm.actionhandler.TrackProcessHandler


Mandatory Fields:

List of Events:

Event Type: Node Leave

Parameter:  
inputText=\${CURRENT\_USER\_NAMEFIRST}. \${CURRENT\_USER\_NAMELAST} hat um \${NOW} \${CURRENT\_TIME} \${CURRENT\_TASK} erledigt;  
processVariable=trackVariable;

OK Cancel Apply Help



From:

<https://wiki.tim-solutions.de/> - TIM Wiki / [NEW TIM 6 Documentation](#)

Permanent link:

<https://wiki.tim-solutions.de/doku.php?id=en:software:tim:actionhandler:trackprocesshandler&rev=1492006708>

Last update: **2021/07/01 09:54**

