

 **This page is not fully translated, yet. Please help completing the translation.**
(remove this paragraph once the translation is finished)

TrackTaskProcessor

Description

The Actionhandler creates after the processing of every Task of a Process the following Event.
After a Task is finished, the following variables can be created:

Username of the Editor

First name of the Editor

Surname of the Editor

Email of the Editor

Current Date/Time

With every Loop the Variables can be created with two different Ways:

- With every Repeat a new Variable (optionally activateable): "nodename_taskname_firstname"
The Nodename contains here also the Loop Count [e.g. (L:2)]
- With every Repeat the old Variable will be deleted (it will be always written):
"nodename_taskname_firstname_lastLoop" Only the Nodename (will be deleted with every Repeat)

Action Class

```
com.dooris.bpm.actionhandler.TrackTaskProcessor
```

Event Type

Any

Action Name

Any

Mandatory Fields

none

Parameter

captureLoops

Default → "false"

If "true":

For every Repeat a new variable is created, which contains the Loop Count.

name

Default → "false"

If "true":

Username of the Editor will be stored.

namefirst

Default → "false"

If "true":

First name of the Editor will be stored.

namelast

Default → "false"

If "true":

Surname of the Editor will be stored.

email

Default → "false"

If "true":

Email of the Editor will be stored.

dateAndTime

Default → "false"

If "true":

Current Date and Time will be stored with the following Format: dd.MM.yyyy HH:mm

Caution! The Handler doesn't work retrospective, therefore the best is in the first Node of a

Process, the Event Type “Node-Enter” to use!

Example

Symboleigenschaften - Aktivität

Symbol
BPMN-Anleitung
Modellierung
Eingaben
Ressourcen
Aufgabe
Ausgaben
Attribute
Letzte Simulation
Sonstige
Allgemein
Verknüpfungen
Benutzerdefiniert
Risiken
Messgrößen
RACI
Automatisierung
Enterprise

Solldauer:

Aufgabenliste:

Edit Event

Ereignistyp: Node Leave

Aktionsname: TrackTaskProcessor

Aktionsklasse: com.dooris.bpm.actionhandler.TrackTaskProcessor

Mandatory Fields:

Parameter:
namefirst=true;
namelast=true;
dateAndTime=true;

OK Abbrechen

OK Abbrechen Übernehmen Hilfe

Variable	Wert
processInstanceId	21654
1_1.1_firstname_lastLoop	Fabian
1_1.1_time_lastLoop	22.07.2013 13:55

From:
<https://wiki.tim-solutions.de/> - **TIM Wiki** / [NEW TIM 6 Documentation](#)

Permanent link:
<https://wiki.tim-solutions.de/doku.php?id=en:software:tim:actionhandler:tracktaskprocessor>

Last update: **2021/07/01 09:52**

