

# WriteLastTaskFinisherInVariableHandler

The WriteLastTaskFinisherInVariableHandler saves user information (i.e. email, id, name, and firstname) of the user that completed a task to process variables.

---

## Handler Class

```
com.dooris.bpm.actionhandler.WriteLastTaskFinisherInVariableHandler
```

## Event Type

node-leave

## Action Name

any

## Mandatory Fields

empty

## Parameter

### lastFinisherVariable

Name of the variable that will contain the captured user information.

### userAttribute (optional)

Here you can define which user information will be captured in the process variable. The available values are **Email**, **ID**, **Name**, **firstname**, and **lastname**. To capture multiple values (e.g. email, first and lastname), the values have to be comma-separated within the **userAttribute** parameter.

In version 5.5 the values **Vorname** and **Nachname** have been replaced by **firstname** and **lastname**. The old values will still work in existing processes, but are deprecated.

---

## Example

### 1. Example

lastFinisherVariable=mail\_user

userAttribute=Email

Created process variable

mail\_user=Hans.Muster@firma.de

### 2. Example

lastFinisherVariable=mail\_user

userAttribute=Email,ID

Created process variables:

mail\_user\_Email=Hans.Muster@firma.de

mail\_user\_ID=543

### 3. Example

lastFinisherVariable=mail\_user

userAttribute=Email,Name,firstname,lastname

Created process variables:

mail\_user\_Email=Hans.Muster@firma.de

mail\_user\_Name=Hans.Muster

mail\_user\_firstname=Hans

mail\_user\_lastname=Muster

Symboleigenschaften - Aktivität

Symbol: [ ] Solldauer: [ ]

BPMN-Anleitung

Modellierung

Eingaben

Ressourcen

Aufgabenliste: [ + ] [ ↑ ] [ ↓ ] [ ✖ ]

Aufgabenname: [ ] Rollenzuweisung: [ ]

Aufgabe

Ausgaben

Attribute

Letzte Simulation

Sonstige

Allgemein

Verknüpfungen

Benutzerdefiniert

Risiken

Messgrößen

RACI

Automatisierung

Enterprise

Beschreibt

**Edit Event** [ ✖ ]

Ereignistyp: [ Node Leave ]

Aktionsname: [ WriteLastTaskFinisherInVariableHandler ]

Aktionsklasse: [ i.dooris.bpm.actionhandler.WriteLastTaskFinisherInVariableHandler ]

Mandatory Fields: [ ]

Parameter: [ lastFinisherVariable=user\_email; userAttribute=Email, ID, Name; ]

[ OK ] [ Abbrechen ]

[ OK ] [ Abbrechen ] [ Übernehmen ] [ Hilfe ]

From: <https://wiki.tim-solutions.de/> - **TIM Wiki** / [NEW TIM 6 Documentation](#)

Permanent link: <https://wiki.tim-solutions.de/doku.php?id=en:software:tim:actionhandler:writelasttaskfinisherinvariable&rev=1469430436>

Last update: **2021/07/01 09:54**

