

 **This page is not fully translated, yet. Please help completing the translation.**  
(remove this paragraph once the translation is finished)

## Adapt context roles

Via the administration client, context roles can be added and adapted. Context roles fulfill the task of allotting a separate **role** to a certain user within a process.

If a context role is adapted, the following window opens:

Element	Description
1	Here, the user for which the role is created, is picked. A click on the dropdown will open it and all users arranged will be displayed. The one required can now be chosen.
2	This dropdown serves for the selection of which of the above mentioned roles the user should play.
3	Here, the context name is chosen, that is in which frame the context role is located.
4	Here, the context-ID, which specifically indicates which definition/instance is designated for this role, is displayed. This field can not be adapted directly but is filled via the search (Element 5). See <a href="#">Suche</a>

## Search

In order to allot a precise merit to a context role, the search has to be used. For this, something has to be entered into the search field.

If process definition is chosen in the context name, then the name of the wanted process definition has to be entered in the search field.

If process instance is chosen, the name of the process instance for which the role is to be valid has to be entered in the search field.

The same counts for process-definition templates.

It is also possible to start the search without making an entry. A list of all possible results will then be released.

After a successful search the tab "**Search result**" will open.

Context-Rolle		X
*Eigenschaften		Suchergebnis
Name	ID	
Instance from CPM-Test	8268	
Instance from CPM-Test (Kopie)	8269	
Instance from CPM-Test (Kopie)	8270	
Instance from CPM-Test (Kopie)	8271	
Instance from CPM-Test (Kopie)	8272	
Instance from CPM-Test (Kopie)	8273	
Instance from CPM-Test (Kopie)	8274	
Instance from CPM-Test (Kopie)	8275	
Instance from CPM-Test (Kopie)	8276	
Instance from CPM-Test (Kopie)	8277	

In this list the different instances which correspond with the search will appear. A click on an element of the list will get you to the tab “**Properties**” and the ID of the corresponding selection is noted in the context-ID field (Element 4).


## Follow context roles

Please register in [Admin Client](#) with your admin user.


The screenshot shows the TIM Task In Motion login screen. The top part has a green header with the word "Anmeldung" and the TIM logo. Below this is a white form area with three input fields. The first field is labeled "Login:" and contains the text "eder-ag/pm". The second field is labeled "Passwort:" and contains a series of masked asterisks. The third field is labeled "Client:" and has a dropdown menu open, showing the option "Administration - TIM". At the bottom right of the form is a blue "Login" button. The entire form is enclosed in a light gray border.

TIM - Task In Motion v3.3.6

Choose the point **User** in the tab **Administration** and to a right click on the regarding user. Choose the point **Add context roles**.



In the popup **Context role** you choose a role (preferably starter).



For the context name you choose process definition.

In the field search term you type the beginning of the corresponding process definition and click on the button search.

In the following popup the columns can be newly arranged via a click on ID. The top entry matches the latest process definition.

Name	ID
Vorleseprojekt Bauer AG	3614
Onboarding	3607
Onboarding	3606
Onboarding	3605
Onboarding	3604
Test_Prozess_igraf	3602
Onboarding	3601
Onboarding	3600
Onboarding	3599
Onboarding	3326

Choose the row with the highest ID of your definition via a click.

Last update: 2021/07/01 en:software:tim:edit\_context\_role https://wiki.tim-solutions.de/doku.php?id=en:software:tim:edit\_context\_role&rev=1408176434 09:55

The screenshot shows a software interface titled 'Context Role'. It contains several input fields and buttons. At the top left is a tab labeled 'Suchergebnis'. Below it are four rows of form fields: 'Benutzer' (User) set to 'Technik Tom (Tom.Technik)', 'Rolle' (Role) set to 'starter', 'Context-Name' set to 'ProcessDefinition', and 'Context-ID' set to '3614'. There is also a 'Suchbegriff' (Search term) field which is empty. At the bottom right of the dialog are two buttons: 'Suchen' (Search) and 'Speichern' (Save).

Via a final click on the button save you have updated the corresponding context role.

From:  
<https://wiki.tim-solutions.de/> - **TIM Wiki / NEW TIM 6 Documentation**

Permanent link:  
[https://wiki.tim-solutions.de/doku.php?id=en:software:tim:edit\\_context\\_role&rev=1408176434](https://wiki.tim-solutions.de/doku.php?id=en:software:tim:edit_context_role&rev=1408176434)

Last update: **2021/07/01 09:55**

