Fix Me! This page is not fully translated, yet. Please help completing the translation. (remove this paragraph once the translation is finished)

Adapt context roles

Via the administration client, context roles can be added and adapted. Context roles fulfill the task of alloting a separate role to a certain user within a process.

If a context role is adapted, the following window opens:

	×
Element	Description
	Here, the user for which the role is created, is picked. A click on the dropdown will open it and all users arranged will be displayed. The one required can now be chosen.
2	This dropdown serves for the selection of which of the above mentioned roles the user should play.
3	Here, the context name is chosen, that is in which frame the context role is located.
	Here, the context-ID, which specifically indicates which definition/instance is designated for this role, is displayed. This field can not be adapted directly but is filled via the search (Element 5). See search

Search

In order to allot a precise merit to a context role, the search has to be used. For this, something has to be entered into the search field.

If process definition is chosen in the context name, then the name of the wanted process definition has to be entered in the search field.

If process instance is chosen, the name of the process instance for which the role is to be valid has to be entered in the search field.

The same counts for process-definition templates.

It is also possible to start the search without making an entry. A list of all possible results will then be released.

After a successful search the tab "Search result" will open.

Last update: 2021/07/01 en:software:tim:edit_context_role https://wiki.tim-solutions.de/doku.php?id=en:software:tim:edit_context_role&rev=1448631107 09:55

Pro	operties Search results 💰	
	Name	ID
	Instance from Special request	11289
	Instance from Special request	11291
2	Instance from Special request	11292
-	Instance from Special request	11293
4	Instance from TIM Wiki Prozess	11294
	Instance from TIM Wiki Prozess	11295
4	Instance from TIM Wiki Prozess	11296
24	Instance from TIM Wiki Prozess	11297
	Instance from TIM Wiki Prozess	11298
-	Instance from TIM Wiki Prozess	11299

In this list the different instances which correspond with the search will appear. A click on an element of the list will get you to the tab **"Properties"** and the ID of the corresponding selection is noted in the context-ID field (Element 4).

Follow context roles

Please register in Admin Client with your admin user.

Anmeldung	• task !n motio
Login:	tim4you/admin
Passwort:	•••••
Client:	Administration - T!M
	Login

Choose the point **User** in the tab **Administration** and to a right click on the regarding user. Choose the point **Ad context role**.

3/4

Administration 3	Context-Roles	Scheduled Jobs Mail Queue
🗆 🏫 root		
🗆 📠 tim4y	ou	
🗉 🖪 C	alendarProfil tim4	you
🗉 🌁 G	roups	
🗆 🚨 U	sers	
🗉 🚨	Alfs, Martin (Alfs)
I 🐣	Doe, Jane (jane	doe)
I 🚨	Doe, John (john	Userprofile
I 🚨	Manager, Prozes	Remove User
I 🚨	Mustermann, Ma	Add Context-Role
I 🐣	admin (admin)	Context-Roles
I 🐣	guest (guest)	

In the popup **Context role** you choose a role (preferably starter).

*Properties @ Search results		
User	Doe, Jane (jane.doe)	×
Role	starter	
Context name	Process definition	-
Context ID		
Search key		
	Search	
	Save	

For the context name you choose process definition.

In the field search term you type the beginning of the corresponding process definition and click on the button search.

In the following popup the columns can be newly arranged via a click on ID. The top entry matches the latest process definition.

*Pro	perties Search results 3	
	Name	ID
	TIM Wiki Prozess	8972
	Special request	8973
	Special request	8974
	Special request	8975
	Special request	8976
	Special request	8977
	TIM Wiki Prozess	8978
	TIM Wiki Prozess	8979
	TIM Wiki Prozess	8980
	TIM Wiki Prozess	8981
	< Page a .	< e to tuo

Choose the row with the highest ID of your definition via a click.

Last update: 2021/07/01 en:software:tim:edit_context_role https://wiki.tim-solutions.de/doku.php?id=en:software:tim:edit_context_role&rev=1448631107 09:55

Context-Role		
Properties 🖗 Search results		
lser	Doe, Jane (jane.doe)	
Role	starter	
Context name	Process definition	
Context ID	8973	
iearch key		
	Search	
	Save	

Via a final click on the button save you have updated the corresponding context role.

From: https://wiki.tim-solutions.de/ - **TIM Wiki / <u>NEW TIM 6 Documentation</u>** Permanent link:

https://wiki.tim-solutions.de/doku.php?id=en:software:tim:edit_context_role&rev=1448631107

Last update: 2021/07/01 09:55

