

createProcessInstancesByHandler

Description

The timer gets all *.csv files from a folder passed to it and creates for each CSV a new table in the database.

The tables are named as follows: "custom_FILENAME".

The first row of the CSV determines the number and names of the columns, all other rows fill these columns.

If the number of columns from a row do not correspond to the number of columns of the table, it will filled with "zero" until the number is correct.

Timer Name

any name

Webservice Name

```
ProcessInstanceManager
```

Webservice Methode

```
createProcessInstancesByHandler
```

Parameter

Parameter

Path to the folder where the CSV files are located!

```
com.dooris.bpm.actionhandler.CreateAndFillDbByCsvInputHandler, FILEPATH
```

Example

 **Properties** 

***Properties** 

Timer Name	createAndFillByCsvImport
Webservice Name	ProcessInstanceManager
Webservice Methode	createProcessInstancesByHandler
Parameter	bpm.actionhandler.CreateAndFillDbByCsvInputHandler,C:\Files\
Acting User	Doe, John (john.doe) 
Starting time	25.11.2014 10:15
Time to start	30s
Intervall	15m
Max. Recursion	-1
Act. Recursion	11519
Status	
Last Execution	03.12.2014 10:24
Save	

Dependences

T!M Version : [Customer_Others](#)

From:
<https://wiki.tim-solutions.de/> - **TIM Wiki** / **NEW TIM 6 Documentation**

Permanent link:
<https://wiki.tim-solutions.de/doku.php?id=en:software:tim:timer:createandfilldbbycsvinput&rev=1454678723>

Last update: **2021/07/01 09:55**

