

createProcessInstancesByHandler

Description

This timer starts process instances in combination with a handler.

Webservice Name

ProcessInstanceManager

Webservice Method

createProcessInstancesByHandler

Parameter

Handlername

full name of a suitable handler [CreateProcessHandler](#)

Parameter

Parameters required by this handler must be separated by a “;”.

Example

 Properties X

*Properties 

| | |
|--------------------|--|
| Timer Name | TimerForCreateProcessInstancebyCSVHandler |
| Webservice Name | ProcessInstanceManager |
| Webservice Methode | createProcessInstancesByHandler |
| Parameter | com.dooris.bpm.beans.impl.CreateProcessInstancebyCSVHandler |
| Acting User | Doe, John (john.doe)  |
| Starting time | 25.11.2014 10:15 |
| Time to start | 30s |
| Intervall | 30m |
| Max. Recursion | -1 |
| Act. Recursion | 10302 |
| Status | |
| Last Execution | 02.12.2014 13:58 |

Timer Name: TimerForCreateProcessInstancebyCSVHandler

Webservice Name: ProcessInstanceManager

Webservice Method: createProcessInstancesByHandler

Parameter:

Handler,Parameter1;Parameter2;Parameter3

com.dooris.bpm.beans.impl.CreateProcessInstancebyCSVHandler,/usr/local/tim/jboss/server/default/deploy/loom.ear/loom-portal.war/custom/markus/Markus.csv;InstanceCreationHandlerTestprozess;0~1

Dependencies

Timer:

TIM Version :

From:

<https://wiki.tim-solutions.de/> - TIM Wiki / NEW TIM 6 Documentation



Permanent link:

<https://wiki.tim-solutions.de/doku.php?id=en:software:tim:timer:createprocessinstancesbyhandler>

Last update: **2021/07/01 09:52**