

setProcessVariableAndSignalProcessInstanceByTransitionName

This timer writes process variable and forwards instance based on activity name and transition name.

IMPORTANT! Is mostly used in combination with the [decision by email](#). In this case, the Webservice as SOAP-call is to execute. As a completely configured timer in the admin client makes this less sense.

Webservice Name

ProcessInstanceManager

Webservice Methode

```
setProcessVariableAndSignalProcessInstanceByTransitionName<code>
==== Parameter ====
== Parameter1 ==
ProcessInstanceId \\
Link call up: args[0](see [[#Example]])

\\ == Parameter 2 ==
Variables name \\
Link call up: args[1] (see [[#Example]])

\\ == Parameter 3 ==
Variables value \\
Link call up: args[2] (see [[#Example]])

\\ == Parameter 4 ==
Activity name \\
Link call up: args[3] (see [[#Example]])

\\ == Parameter 5 ==
Transition name \\
Link call up: args[4] (see [[#Example]])

\\ == Only for link call up ==
uid: Encoding login data for TIM Base64 (client/user:password)

----

==== Example ====
<code>
http://URL des Servers/loom-portal/ProcessInstanceManager/setProcessVariableAndSignalProcessInstanceByTransitionName.soap?args[0]=${processInstanceId}&args[1]=VARIABLESNAME&args[2]=VARIABLESVALUE&args[3]=ACTIVITYNAME&args[4]=TRANSITIONNAME&i=1&uid=LOGINDAT
```

A

From:
<https://wiki.tim-solutions.de/> - **TIM Wiki** / **NEW TIM 6 Documentation**

Permanent link:
<https://wiki.tim-solutions.de/doku.php?id=en:software:tim:timer:setprocessvariableandsignalprocessinstancebytransitionname&rev=1454678450>

Last update: **2021/07/01 09:55**

