

## setProcessVariableAndSignalProcessInstanceByTransitionName

This timer writes a process variable and forwards an instance based on the activity name and transition name.

**IMPORTANT!** This is mostly used in combination with the [decision by e-mail](#). In this case, the Webservice to be executed as SOAP-call. Using this as a completely configured timer in the admin client makes little sense.

### Webservice Name

```
ProcessInstanceManager
```

### Webservice Method

```
setProcessVariableAndSignalProcessInstanceByTransitionName
```

### Parameter

#### Parameter 1

ProcessInstanceld

Link call up: args[0](see [Example](#))

#### Parameter 2

Variables name

Link call up: args[1] (see [Example](#))

#### Parameter 3

Variables value

Link call up: args[2] (see [Example](#))

#### Parameter 4

Activity name

Link call up: args[3] (see [[#Example]])

## Parameter 5

Transition name

Link call up: args[4] (see [[#Example]])

## Only for link call up

uid: Encoding login data for TIM Base64 (client/user:password)

---

## Example

```
http://URL of the Server/loom-portal/ProcessInstanceManager/setProcessVariableAndSignalProcessInstanceByTransitionName.soap?args[0]={processInstanceId}&args[1]=VARIABLESNAME&args[2]=VARIABLESVALUE&args[3]=ACTIVITYNAME&args[4]=TRANSITIONNAME&i=1&uid=LOGINDATA
```

From: <https://wiki.tim-solutions.de/> - **TIM Wiki** / [NEW TIM 6 Documentation](#)

Permanent link: <https://wiki.tim-solutions.de/doku.php?id=en:software:tim:timer:setprocessvariableandsignalprocessinstancebytransitionname&rev=1507560126>

Last update: **2021/07/01 09:55**

