

signalByMailWithLimitAndMoveMessage

Description

This [timer](#) checks a mailbox for new mails and forwards the corresponding process instance and moves the mail.

Timer Name

any name

Webservice Name

```
ProcessInstanceManager
```

Webservice Methode

```
signalByMailWithLimitAndMoveMessage
```

Parameter

ProcessInstanceID-Reg-Exp

pildRegex, a [regular expression](#) that specifies how the ProcessInstanceID is found. It searches in the text and in the subject for this.

Activitynames-Reg-Exp

nodeNameRegex, a [regular expression](#) that searches the currently processed mail of the given activity and [signals](#) it. It searches in texts and in subjects on the server for this.

Filter-Reg-Exp

filterRegex, a [Regular Expression](#) that specifies a condition which mails are to be processed.

E-mail-address

email, the complete e-mail address from which the mails are retrieved.

Password

password, Password of the E-Mail account.

Port

port, match the e-mail address and the host

Host

host, example: pop3.gmail.com

Limit

limit, number of e-mails to be processed.

MoveFolder

moveFolder, processed e-mails should be moved to this folder.

IMPORTANT!

Move of e-mails does not work by pop3.

Example

```
[0-9]{4},Wait-for-Mail-  
signal,,johnm1477@gmail.com,&elam!sIII,995,imap.gmail.com,1,checkt
```

Properties

*Properties

Timer name	SignalMail
Webservice name	ProcessInstanceManager
Webservice methode	signalByMailWithLimitAndMoveMessage
Parameter	[0-9]{4},Wait-for-Mail-signal,,johnm1477@gmail.com,&e 1 am!slll
Acting user	sys.timer, (sys.timer)
Starting time	
Time to start	10s
Intervall	10m
Max. recursion	-1
Act. recursion	0
Status	
Last execution	

Save

Dependencies

T!M Version : [Version 3.5.1](#)

From: <https://wiki.tim-solutions.de/> - [TIM Wiki](#) / [NEW TIM 6 Documentation](#)

Permanent link: <https://wiki.tim-solutions.de/doku.php?id=en:software:tim:timer:signalbymailwithlimitandmovemessage&rev=1454676968>

Last update: 2021/07/01 09:55

