

signalByMailWithLimitAndMoveMessage

Description

This [timer](#) checks a mailbox for new mails and forwards the corresponding process instance and moves the mail.

Timer Name

any name

Webservice Name

```
ProcessInstanceManager
```

Webservice Methode

```
signalByMailWithLimitAndMoveMessage
```

Parameter

ProcessInstanceID-Reg-Exp

pildRegex, a [regular expression](#) that specifies how the ProcessInstanceID is found. It searches in the text and in the subject for this.

Activitynames-Reg-Exp

nodeNameRegex, a [regular expression](#) that searches the currently processed mail of the given activity and [signals](#) it. It searches in texts and in subjects on the server for this.

Filter-Reg-Exp

filterRegex, a [Regular Expression](#) that specifies a condition which mails are to be processed.

E-mail-address

email, the complete e-mail address from which the mails are retrieved.

Password

password, Password of the E-Mail account.

Port

port, match the e-mail address and the host

Host

host, example: pop3.gmail.com

Limit

limit, number of e-mails to be processed.

MoveFolder

moveFolder, processed e-mails should be moved to this folder.

IMPORTANT!

Move of e-mails does not work by pop3.

Example

```
[0-9]{4},Wait-for-Mail-  
signal,,johnm1477@gmail.com,&elam!sIlI,995,imap.gmail.com,1,checkt
```

 **Properties** 

*Properties 

Timer name

SignalMail

Webservice name

ProcessInstanceManager

Webservice methode

signalByMailWithLimitAndMoveMessage

Parameter

[0-9]{4},Wait-for-Mail-signal,,johnm1477@gmail.com,&e1am!slll

Acting user

sys.timer, (sys.timer) ▼

Starting time

Time to start

10s

Intervall

10m

Max. recursion

-1

Act. recursion

0

Status

Last execution

Save

Dependencies

T!M Version : [Version 3.5.1](#)

From:
<https://wiki.tim-solutions.de/> - **TIM Wiki** / [NEW TIM 6 Documentation](#)

Permanent link:
<https://wiki.tim-solutions.de/doku.php?id=en:software:tim:timer:signalbymailwithlimitandmovemessage&rev=1454676976>

Last update: **2021/07/01 09:55**

