

StartToProcessVariableActionHandler

Beschreibung

Dieser [Handler](#) fügt eine Variable in den Prozess ein, die in der Smartform nicht sichtbar ist und fügt als Value den Usernamen des Starters der Instanz ein.

Diese Variable und deren Wert werden im PDF-Report im Bereich Smartform angezeigt.

Der Default-Variablenname ist „Starter“. Allerdings kann im Mandatory Field ein beliebiger Variablenname angegeben werden.

Die erstellte Variable kann zusammen mit dem

[variableassignmentactionhandler](#)

genutzt werden, um dem Starter der Instanz eine bestimmte Swimlane zuzuweisen.

Klasse

```
com.dooris.bpm.actionhandler.StartToProcessVariableActionHandler
```

Event Type

beliebig

Action Name

beliebig


Mandatory Fields

Variablenname oder leer

Parameter

-

Beispiel



The screenshot shows a software window titled "Editor für Events Eigenschaft". At the top left, there are buttons for "Hinzufügen" (Add) and "Löschen" (Delete). Below these is a table with the following columns: "Eventtyp", "Action Name", "Action Class", "Mandatory Fields", and "Parameter". A single row is visible in the table with the following values: "node-enter", "Variable Assignment", "com.dooris.bpm.actionhandler.StartToProcessVa...", and "optional_er_variablenname". The "Parameter" column is currently empty. At the bottom right of the window, there are buttons for "Abbrechen" (Cancel) and "Ok".

Eventtyp	Action Name	Action Class	Mandatory Fields	Parameter
node-enter	Variable Assignment	com.dooris.bpm.actionhandler.StartToProcessVa...	optional_er_variablenname	

From: <https://wiki.tim-solutions.de/> - **TIM Wiki** / [NEW TIM 6 Documentation](#)

Permanent link: <https://wiki.tim-solutions.de/doku.php?id=software:tim:actionhandler:starttoprocessvariableactionhandler&rev=1379078510>

Last update: **2021/07/01 09:57**

