

**Fix Me!** Diese Seite wurde noch nicht vollständig übersetzt. Bitte helfen Sie bei der Übersetzung.

(diesen Absatz entfernen, wenn die Übersetzung abgeschlossen wurde)

**Fix Me!** This page is not fully translated, yet. Please help completing the translation.

(remove this paragraph once the translation is finished)

## General

In TIM, there are 4 different clients which users can register for. The [rights](#) of single users steers the permission of access to the individual clients. In the bottom part the two ToDo-clients are dealt with, along with a detailed description of individual elements.

The two ToDo-clients require the [rights](#) „member“.

## Overview ToDo-client

The screenshot shows the TIM interface for the 'ToDo Client'. At the top, there are navigation tabs: 'Aufgaben', 'Aufgaben meiner Gruppen', 'Meine Instanzen', 'Erf. Aufgaben', 'Suchen', and 'Suchergebnis'. A table of tasks is displayed with columns for 'Aufgabe', 'Bearbeiter', 'Gruppe', 'Prozessinstanz', and 'Erstellungszeit'. A detailed view of a task is shown below, including fields for 'Status', 'Name', 'Email', 'Erstellungsdatum', and 'Wichtigkeit/Dringlichkeit'. Buttons for 'Speichern und Aufgabe abschließen' and 'Speichern' are visible at the bottom of the detailed view.

## Overview elements


element	description
1	In this column, all <a href="#">tasks</a> , which are assigned to the current user and his <a href="#">groups</a> without an already assigned actor, can be looked into.
2	In this column, all <a href="#">tasks</a> which have been assigned to the current user or one of his <a href="#">groups</a> , can be looked into. Here, tasks are displayed to which an actor has already been assigned to and which are in the same group.










element	description
3	In this column, all <a href="#">instances</a> which have been initiated by the current user can be looked into.
4	In this column, all <a href="#">tasks</a> which have been finished by the current user and have <b>not yet</b> been archived, can be looked into.» From version v.3.4.7 archived tasks are displayed, too. In <a href="#">client-profile</a> it can be configured, if finished tasks of my group are to be displayed.
5	In this column you can, via the <a href="#">smartform</a> , look for <a href="#">process-variables</a> according to <a href="#">process-definitions</a> with the required parameters. The results are displayed in the column search results (element 6). See <a href="#">search</a> » Attention! Does <b>not</b> work in <a href="#">ToDo-client 1G</a>
6	In this tab the instances, in which the search (see element 13 and element 5 ) has found the according process-variables, are displayed.
7	Via a click on the user you get to the user settings in which the own user profile can be adjusted. See <a href="#">user-profile</a>
8	Here, the current user can be logged off.
9	Here, the requested language can be chosen via a drop-down.
10	Here, the current <a href="#">T!M version</a> and revision can be looked into. The latter is decisive for the support, if an error has occurred.
11	Via the symbols you can switch between the <a href="#">ToDo-Client 1G</a> and the <a href="#">ToDo-Client</a> .
12	Here, the <a href="#">process-instances</a> can be initiated, provided the current user has the according <a href="#">roles</a> in T!M and is stored as an initiator in the process.
13	Here you can search for texts/numbers in all processes (in all <a href="#">process-definitions</a> and their <a href="#">process-instances</a> ). Relevant data here is the definition name, the instance name and the process-variables. Fitting results are displayed in the search result (element 6).
14	Via a click on this symbol you get to the property menu of the respective task in which additional information is gathered and various settings can be made.
15	In this column the name/description of the task is displayed.
16	In this column, the current arranger, who is responsible for this task, is registered.
17	If the task is assigned to a group it will be displayed in this column.
18	This symbol indicates whether or not the task is an AdHoc task and if so, the symbol will be high-lighted with colour.
19	This column shows the information which process-instance the task belongs to.
20	In this column the creation time of the task is displayed.
21	Via this symbol the menu is directly opened in which the links, which have been assigned to the task, are displayed.
22	Via this symbol the menu is directly opened in which documents can be uploaded or already uploaded documents can be looked into.
23	Via this symbol the menu is directly opened in which notes can be added or already added notes can be looked into.
24	Via this symbol the smartform of the according process is opened directly in a separate window.
25	The time indicates how much time remains until the task has to be finished. Required for this display is a registered <a href="#">process-time</a> .
26	Here you can, after the completion of the <a href="#">task</a> , mark it as finished. After the activation there will, again, come a confirmation prompt. By holding the control key it is possible to tick of multiple task simultaneously.
27	If a <a href="#">process-instance</a> is selected, the according <a href="#">Smartform</a> appears here and can be edited, before the <a href="#">task</a> is to be marked as finished. See <a href="#">Smartform</a> .
28 - 32	See <a href="#">properties of a task</a>

element	description
33	Here, having selected a task, a model of the current process will appear. The activity in which the process is currently involved is marked. Therefore, it is possible to gain an overview over the progress of the process.
34	Via this button the processed smartform is saved and at the same time the task is marked as finished. Therefore, it does not have to be ticked of in the list.
35	Via this button only the changes of the smartform are saved, the task will not be marked as finished and remains active.

## Search

If the tab „**search**“ is activated, it is necessary to first chose a process definition from the list or click on the binoculars symbol. After this is done, the according and empty smartform will open. Now the wanted merit has to be entered into the desired field. If the search is carried out via the button „**submit search**“, all process-instances of the according definition are searched and instances, in which the merit of the [process-variables](#) match the the searched, are displayed in the tab „**search result**“.

Aufgaben | Aufgaben meiner Gruppen | Meine Instanzen | Erf. Aufgaben | Suchen  | Suchergebnis

Name	Version	
Beispiel	3	
Deliverables	1	
HauptProzessTest	14	
Phasen-Checklist	85	
Phasen-Checklist (Kopie)	11	
SectionTest	6	
SubProzessTest	1	
TEST	5	



Smartform  | Live-View Prozessmodell

**Basisinformationen**

Status:	Offen 
Name:	Suche nach diesem Name
Email:	bzw. suche nach dieser Email
Erstellungsdatum:	bzw. suche nach dieser Email
Wichtigkeit/Dringlichkeit:	Hoch 



From:

<https://wiki.tim-solutions.de/> - **TIM Wiki** / [NEW TIM 6 Documentation](#)

Permanent link:

<https://wiki.tim-solutions.de/doku.php?id=software:tim:todo-clients&rev=1504705440>

Last update: **2021/07/01 09:58**

