 **This page is not fully translated, yet. Please help completing the translation.**  
 (remove this paragraph once the translation is finished)

## Mobile smartform

The mobile smartform is a part of the normal [Browser-Smartform](#) . The complete smartform is defined as the browser and mobile smartform together. Alternatively, the mobile-smartform may display only part of the browser smartform.


It is important to note that for the mobile smartform only certain fields are possible. Also, the fields must always have an ID, a name, the **mobile** classification and an associated label. The possible fields and how there are defined in the smartform HTML is demonstrated in the following:

### Input fields/Text fields


 A screenshot of a mobile smartform input field. It shows a label 'Name des Angestellten :' followed by a text input field with a green border.


```
<label class="mobile" for=""name_employee"> Name of the employee :</label>
<input class="mobile" type="text" id="name_employee"></input>
```

### Check boxes


 A screenshot of a mobile smartform checkbox. It shows a label 'Hardware nötig:' followed by a checked checkbox with a green checkmark.

```
<label class="mobile" for="Checkbox_id"> Hardware required: </label> <input
class="mobile" type="checkbox" id="Checkbox_id" > Yes </input>
```


### Radio buttons


 A screenshot of a mobile smartform radio button group. It shows a label 'Abteilung :' followed by three radio buttons with labels 'Geschäftsleitung', 'HR', and 'IT'.

```
<label class="mobile" for="Checkbox_id"> Hardware required: </label> <input
class="mobile" type="checkbox" id="Checkbox_id" > Yes </input>
<label class="mobile" for="RadioGroupName">Abteilung : </label><br></br>
<input class="mobile" type="radio" name="RadioGroupName" value="Radio_1"
id="Radio_1_id"></input><label class="mobile"
```

```
for="Radio_1_id">HR</label><br></br>
<input class="mobile" type="radio" name="RadioGroupName" value="Radio_2"
id="Radio_2_id"></input><label class="mobile"
for="Radio_2_id">IT</label><br></br>
<input class="mobile" type="radio" name="RadioGroupName" value="Radio_3"
id="Radio_3_id"></input><label class="mobile"
for="Radio_3_id">Geschäftsleitung</label><br></br>
```


## Selection lists and boxes



```
<label class="mobile" for="select_id"> Association : </label>
<select class="mobile" id="select_id">
  <option class="mobile" value="Option1_Value">IGrafX</option>
  <option class="mobile" value="Option2_Value">Signavio</option>
  <option class="mobile" value="Option3_Value">TIM</option>
</select><br></br>
```

## Headings

In general, it is possible to add two different types of headers. On one side, a left-centered text with a normal size and on the other side a centered text with bold formatting.



```
<span class="mobile"><b class="mobile">Bold heading</b></span>
<span class="mobile">normal heading</span>
```

From:

<https://wiki.tim-solutions.de/> - **TIM Wiki** / [NEW TIM 6 Documentation](#)

Permanent link:

[https://wiki.tim-solutions.de/doku.php?id=en:software:app:mobile\\_smartorm](https://wiki.tim-solutions.de/doku.php?id=en:software:app:mobile_smartorm)

Last update: **2021/07/01 09:52**

