

Calling webservices via Javascript

Description

Webservices can be called per script and are used to read out information, set data, assign tasks, etc.

Webservice Name

A list of webservice name kan be seen in Firebug. per selected webservice name you can find the available methods.

```

webService
  > ArchivationManager
  > BlogManager
  > BusinessCalendar
  > DMSManager
  > DBConnectionManager
  > DemoManager
  > DocumentManager
  > EffortManager
  > EntityViewManager
  > GenericEntityManager
  > IdentityManager
  > IssueManager
  > LicenceManager
  > LinkManager
  > LookupManager
  > LoennEmailManager
  > LoennInitManager
  > ModelerManager
  > NodeManager
  > PortalManager
  > ProcessDefinitionManager
  > ProcessDefinitionTemplateManager
  > ProcessInstanceManager
  > ProcessVariableManager
  > SearchManager
  > SectionNodeMappingManager
  > SuperClientManager
  > SystemManager
  > TaskManager
  > TimedServiceManager
  > UpdateManager
  > lastSOAPCall

Object { lastSOAPCall:[2], ArchivationManager:[...], BlogManager:[...], mehr... }
Object { url:"http://localhost:8080/loam-ws/ArchivationManager", ns="http://www.loam-peh.de/ArchivitionManager", archiveEndeProcessInstances=function(), mehr... }
Object { url:"http://localhost:8080/loam-ws/BlogManager", ns="http://www.loam-peh.de/BlogManager", createBlogArticle=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/BusinessCalendar", ns="http://www.loam-peh.de/BusinessCalendar", createHolidayToCalendarProfile=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/DMSManager", ns="http://www.loam-peh.de/DMSManager", getFormFields=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/DBConnectionManager", ns="http://www.loam-peh.de/DBConnectionManager", getQueries=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/DemoManager", ns="http://www.loam-peh.de/DemoManager", createDemoEntity=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/DocumentManager", ns="http://www.loam-peh.de/DocumentManager", convertProcessDocumentsToPDF=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/EffortManager", ns="http://www.loam-peh.de/EffortManager", createEffortForTaskInstance=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/EntityViewManager", ns="http://www.loam-peh.de/EntityViewManager", getViewForEntityId=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/GenericEntityManager", ns="http://www.loam-peh.de/GenericEntityManager", archiveEntity=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/IdentityManager", ns="http://www.loam-peh.de/IdentityManager", getUsersFromGroupWithGroupIndicator=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/IssueManager", ns="http://www.loam-peh.de/IssueManager", assignIssue=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/LicenceManager", ns="http://www.loam-peh.de/LicenceManager", checkLicensesForNewProcessDefinition=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/LinkManager", ns="http://www.loam-peh.de/LinkManager", getURLByTaskID=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/LookupManager", ns="http://www.loam-peh.de/LookupManager", createLookupForLookupGroup=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/LoennEmailManager", ns="http://www.loam-peh.de/LoennEmailManager", getAllEmails=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/LoennInitManager", ns="http://www.loam-peh.de/LoennInitManager", initDB=function() }
Object { url:"http://localhost:8080/loam-ex/ModelerManager", ns="http://www.loam-peh.de/ModelerManager", createModel=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/NodeManager", ns="http://www.loam-peh.de/NodeManager", RedefineSectionNodeMappingOnNodeSelection=function(), mehr... }
Object { url:"http://localhost:8080/.../PortalManager", ns="http://www.loam-peh.de/PortalManager", addGadgetToPortalTab(function), mehr... }
Object { url:"http://localhost:8080/.../ProcessDefinitionManager", ns="http://www.loam-peh.de/ProcessDefinitionManager", RedefineParticipatingProcessDefinitions=function(), mehr... }
Object { url:"http://localhost:8080/.../ProcessDefinitionTemplateManager", ns="http://www.loam-peh.de/ProcessDefinitionTemplateManager", addProcessDefinitionTemplateList(function), mehr... }
Object { url:"http://localhost:8080/.../ProcessInstanceManager", ns="http://www.loam-peh.de/ProcessInstanceManager", addProcessVariable=function(), mehr... }
Object { url:"http://localhost:8080/.../ProcessVariableManager", ns="http://www.loam-peh.de/ProcessVariableManager", getProcessContextEntity=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/SearchManager", ns="http://www.loam-peh.de/SearchManager", searchForClassNames=function(), mehr... }
Object { url:"http://localhost:8080/.../SectionNodeMappingManager", ns="http://www.loam-peh.de/SectionNodeMappingManager", getURLLinksOnProcessInstance=function(), mehr... }
Object { url:"http://localhost:8080/loam-ex/SuperClientManager", ns="http://www.loam-peh.de/SuperClientManager", createSuperClient(function), mehr... }
Object { url:"http://localhost:8080/loam-ex/SystemManager", ns="http://www.loam-peh.de/SystemManager", changePassword(function), mehr... }
Object { url:"http://localhost:8080/loam-ex/TaskManager", ns="http://www.loam-peh.de/TaskManager", addAdhocTaskInstance(function), mehr... }
Object { url:"http://localhost:8080/loam-ex/TimedServiceManager", ns="http://www.loam-peh.de/TimedServiceManager", createTimedService(function), mehr... }
Object { url:"http://localhost:8080/loam-ex/UpdateManager", ns="http://www.loam-peh.de/UpdateManager", update=function() }

[ null, function() ]

```

Webservice Method

After selecting a name you can find the methods. Inthis example the IdentityManager is used

```
> IdentityManager
  ns
  url
  > addIdentityToGroup
  > addIdentityToGroupInRole
  > createAbsence
  > createAbsenceRuleForUser
  > createGroup
  > createIeli
  > createIeliForFirstUser
  > createIesi
  > findMembershipByGroupAndUser
  > getAllAbsencesOfUser
  > getAllAbsencesOfUser
  > getAllActiveUsers
  > getAllGroups
  > getAllIdentities
  > getAllUserReferences
  > getAllFilters
  > getCurrentAbsence
  > getCurrentClears
  > getCurrentGroups
  > getCurrentIdentities
  > getCurrentUser
  > getCurrentUserProfileAsWSEntity
  > getCurrentUserProfileImplementation
  > getGroupByName
  > getGroupByIesi
  > getIdentityByExpression
  > getIdentityTree
  > getMyPermissions
  > getPermissionForIdentity
  > getRepresentativeForProcessDefinitionAndUser
  > getRoleForIdentity
  > getIeliByGroupAndRole
  > getIesiByIname
  > getIesiByGroup
  > getUsersCurrentlyLoggedIn
  > getUsersFromGroupWithGroupedIndicator
  > importUsersFromLDAP
  > importUsersFromLDAPByStep
  > isUserInRole
  > login
  > logOut
  > removeMembership
  > setRoleForIdentity
  > switchUserBlock
> IssueManager
Object { url="http://localhost:8080/loom-ws/IssueManager", ns="http://www.loom-gmbh.de/IssueManager", assignMe=function(), mehr... }
```

Parameter

Via a click on the method it is possible to see which parameters need to be given.

Exmaple

In this example the function `getuserByName` is called in the `IdentityManager`. This method calls a callback method (`userCallback`) in the script. The callback gets the found user. In this callback the information of the received user can be worked with.

```
var userCallback=function(userGot){  
    //do sth  
}  
webService.IdentityManager.getUserByName("tim.support", userCallback);
```

From:

<https://wiki.tim-solutions.de/> - TIM Wiki / NEW TIM 6 Documentation

Permanent link:

<https://wiki.tim-solutions.de/doku.php?id=en:software:tim:webservices>

Last update: **2021/07/01 09:52**

