

MandatoryHandler

Beschreibung

Der Mandatory Handler prüft vor dem Abschließen einer Aufgabe, ob alle Pflichtfelder im zugehörigen Smartform befüllt wurden. Sind die Pflichtfelder nicht vollständig befüllt, verhindert der Handler das Abschließen der Aufgabe. Der Nutzer wird anschließend aufgefordert, die fehlenden Pflichtfelder zu befüllen. Die zu überprüfenden Pflichtfelder werden Komma getrennt in das Feld „Mandatory Fields“ geschrieben.

Klasse

```
com.dooris.bpm.actionhandler.MandatoryHandler
```

Event Type

beliebig

Action Name

beliebig


Mandatory Fields

ID_des_Smartform_Feldes,ID_des_nächsten_Smartform_Feldes,... (WICHTIG: kein Leerzeichen zwischen , und Variable!)

Parameter

-

Beispiel

A screenshot of a software dialog box titled "Edit Event". It contains several input fields: "Ereignistyp:" with a dropdown menu showing "Node Leave"; "Aktionsname:" with a text field containing "Mandatory Handler"; "Aktionsklasse:" with a text field containing "com.dooris.bpm.actionhandler.MandatoryHandler"; "Mandatory Fields:" with a text field containing "ID_des_Smartform_Feldes,ID_des_nächsten_Smartform_Feldes"; and "Parameter:" with an empty text area. At the bottom right are "OK" and "Abbrechen" buttons.

From:
<https://wiki.tim-solutions.de/> - **TIM Wiki** / [NEW TIM 6 Documentation](#)

Permanent link:
<https://wiki.tim-solutions.de/doku.php?id=software:tim:actionhandler:mandatoryhandler>

Last update: **2021/07/01 09:52**

